

Performance Table

RV- 50HZ

RV1	Power	Q	0.4	0.6	0.8	1.0	1.2	1.4	1.6	1.8	1.8	2.2
Model	P2 (kw)	(m3/hr)	H (mtr)									
RV1-2	0.37		12	11.8	11.5	11	11	10	9.8	9.2	8.5	7.8
RV1-3	0.37		17.5	17	16.8	16.5	16	15.5	14	13.5	12	10.5
RV1-4	0.37		23.5	23	22.8	22	21	20	18.5	18	16.5	14
RV1-5	0.37		29	28.5	28	27.5	26.5	26	24	23	20.5	17.5
RV1-6	0.37		35	34.5	34	33	32	31	28	27	25	22
RV1-7	0.37		41	40	39	38	37	35	33	32	29	25
RV1-8	0.55		46.5	46	45.5	44	42	40	38	36	33	29
RV1-9	0.55		52	51.5	51	50	47	46	44	41	37	34
RV1-10	0.55		58	57.5	57	56	54	52	48	46	41.5	37
RV1-11	0.55		65	63	62	61	59	56	54	50	46	40
RV1-12	0.75		70	69	68	66	64	62	58	55	49	43
RV1-13	0.75		75	74.5	74	72	70	66	63	59	54	47
RV1-15	0.75		87	86	85	84	80	75	72	68	62	53
RV1-17	1.1		99	97.5	97	95	92	87	81.5	70	69	59
RV1-19	1.1		110	109	108	106	100	98	91	86	78	66
RV1-21	1.1		122	120	119	116	111	108	101	95	86	73
RV1-23	1.1		135	132	130	126	122	115	111	104	94	80
RV1-25	1.5		147	144	141	138	130	127	121	114	103	87
RV1-27	1.5		158	156	154	150	144	138	130	121	112	96
RV1-30	1.5		175	173	171	166	161	154	145	136	124	108
RV1-33	2.2		193	191	188	183	174	170	160	150	136	120
RV1-36	2.2		212	209	205	200	192	184	174	164	150	133

RV2	Power	Q	1.0	1.2	1.6	2.0	2.4	2.8	3.0	3.2	3.4	3.6
Model	P2 (kw)	(m3/hr)	H (mtr)									
RV2-2	0.37		16	15.5	14.5	13.5	12.5	11	10.5	9.5	8.5	8
RV2-3	0.37		23	22.5	21	20	18.5	16	15	14	13	12
RV2-4	0.55		32	31	30	28	26	23	22	20	17	16
RV2-5	0.55		42.5	42	40	37	34.5	30	28	25	23	20
RV2-6	0.75		51	50	47	44	41	36	32	30	26	24
RV2-7	0.75		59	57	55	52	47	41	39	35	30	28
RV2-9	1.10		72	71	67	63	58	51	48	44	39	36
RV2-11	1.10		87	85	80	74	67	56	52	50	46	42
RV2-13	1.50		106	104	99	90	81	71	66	60	56	51
RV2-15	1.50		121	119	112	105	96	85	76	72	67	61
RV2-18	2.20		143	139	133	125	116	105	98	91	82	78
RV2-22	2.20		173	169	162	152	140	126	119	110	99	95
RV2-26	3.00		206	201	191	180	170	155	140	133	124	118

Performance Table

RV- 50HZ

RV3 Model	Power	Q (m3/hr)	1.2	1.6	2.0	2.4	2.8	3.0	3.2	3.4	3.6	4.0
	P2 (kw)											
RV3-2	0.37	H (mtr)	12	11.3	10.5	10	9	8.5	8	7.5	7	6
RV3-3	0.37		18	17	16	15	14	13	12	11	10	8
RV3-4	0.37		24	23	21	20	18.5	17	16	15	13	11
RV3-5	0.37		30	28	27	25	23	22	20	19	17	14
RV3-6	0.55		36	34	32	30	28	26	24	22	20	16
RV3-7	0.55		42	40	39	36	33	30	28	26	24	19
RV3-8	0.75		48	46	44	41	37	35	32	30	27	22
RV3-9	0.75		53	51	49	46	41	39	37	34	32	26
RV3-10	0.75		59	57	55	51	46	43	41	37	34	28
RV3-11	1.10		65	62	60	56	51	48	45	42	38	30
RV3-12	1.10		71	68	66	61	55	52	49	45	42	34
RV3-13	1.10		77	74	71	66	60	57	53	50	46	37
RV3-15	1.10		88	85	82	77	72	68	64	60	55	44
RV3-17	1.50		112	97	93	88	83	79	74	69	64	52
RV3-19	1.50		112	108	104	98	92	88	83	77	71	58
RV3-21	2.20		123	119	115	108	102	97	92	86	79	65
RV3-23	2.20		134	130	125	119	110	105	100	94	86	72
RV3-25	2.20		146	141	135	128	118	113	108	102	94	79
RV3-27	2.20		158	152	146	138	129	123	117	110	103	86
RV3-29	2.20		169	163	156	147	137	132	125	118	111	93
RV3-31	3.00	180	174	167	157	147	141	134	126	118	100	
RV3-33	3.00	191	186	178	168	157	150	143	135	127	108	
RV3-36	3.00	209	203	194	184	173	166	159	151	143	122	

RV4 Model	Power	Q (m3/hr)	1.0	2.0	3.0	3.5	4.0	4.5	5.0	5.5	5.7	6.0
	P2 (kw)											
RV4-2	0.37	H (mtr)	22	21	19	18.5	18	17	16	14	13.5	13
RV4-3	0.55		31	29	28	26	24	22	21	19	18.5	18
RV4-4	0.75		40	38	35	33	31	29	27	24	23	22
RV4-5	1.10		50	48	44	42	40	38	34	30	28	26
RV4-6	1.10		59	57	53	50	49	45	41	36	33	30
RV4-7	1.50		71	69	65	62	59	55	50	43	40	36
RV4-8	1.50		83	80	78	75	72	65	59	51	46	42
RV4-10	2.20		103	100	95	91	87	80	79	73	65	54
RV4-12	2.20		122	119	113	106	103	96	88	78	72	68
RV4-14	3.00		139	134	128	122	118	111	102	90	86	79
RV4-16	3.00		158	153	145	140	134	126	116	103	94	89
RV4-19	4.00		186	180	170	162	155	145	133	117	108	98
RV4-22	4.00		216	208	197	190	182	172	159	143	134	126

Performance Table

RV- 50HZ

RV5	Power P2 (kw)	Q (m3/hr)	H (mtr)									
Model			2.0	3.0	4.0	5.0	5.5	6.0	6.5	7.0	7.5	8.0
RV5-2	0.37	H (mtr)	14	13	12	11	10	9	8	7.5	6.5	6
RV5-3	0.55		19	18	16.5	15	14	13	12	11	9	8
RV3-4	0.55		24	23	22.5	20	18.5	17	15.5	14	12.5	11
RV5-5	0.75		30	29	27	24.5	23	21	20	17	16	14
RV5-6	1.10		37	35	33	30	28	26	24	22	20	18
RV5-7	1.10		43	41	39	35	33	31	28	26	24	21
RV5-8	1.10		49	47	44	40	38	36	32	30	27	24
RV5-9	1.50		56	53	50	45	42	40	37	33	30	27
RV5-10	1.50		62	59	55	50	47	44	41	37	34	30
RV5-11	2.20		68	65	61	56	52	49	45	41	37	33
RV5-12	2.20		75	72	68	62	58	54	49	45	40	36
RV5-13	2.20		81	79	74	68	64	60	54	49	44	39
RV5-14	2.20		89	85	81	74	70	65	60	54	48	42
RV5-15	2.20		96	93	88	80	75	70	64	59	52	45
RV5-16	2.20		103	100	94	85	80	75	69	63	56	48
RV5-18	3.00		115	110	104	96	90	85	78	71	63	54
RV5-20	3.00		129	122	115	105	99	94	86	78	70	60
RV5-22	4.00		139	134	126	116	110	103	95	87	77	66
RV5-24	4.00		152	146	138	127	120	113	105	96	84	72
RV5-26	4.00		164	158	150	138	131	122	114	104	91	78
RV5-29	4.00	185	177	168	157	150	141	132	119	103	87	
RV5-32	5.50	205	197	189	176	166	158	147	134	114	96	
RV5-36	5.50	230	222	212	198	188	177	166	154	133	108	

RV10	Power P2 (kw)	Q (m3/hr)	H (mtr)									
Model			1.0	2.0	4.0	6.0	8.0	10.0	11.0	12.0	13.0	14.0
RV10-1	0.37	H (mtr)	14	13	12	11	9.5	8.5	8	7	6.5	6
RV10-2	0.75		24	23	22	20	18	16	14	13	11	10
RV10-3	1.10		34	33	32	31	28	25	23	21	18	16
RV10-4	1.50		44	43	42	40	37	32	30	27	25	20
RV10-5	2.20		54	53	51	48	44	39	36	32	29	24
RV10-6	2.20		64	62	61	58	53	46	42	38	34	28
RV10-7	3.00		75	73	72	67	61	54	49	43	37	32
RV10-8	3.00		85	83	81	78	71	62	58	51	47	37
RV10-9	3.00		96	93	91	87	81	71	67	59	49	42
RV10-10	4.00		106	104	101	98	91	81	75	67	55	47
RV10-12	4.00		125	123	121	117	108	95	84	78	67	55
RV10-14	5.50		145	143	141	136	124	110	101	90	78	63
RV10-16	5.50		164	163	161	154	143	125	112	102	85	71
RV10-18	7.50		184	183	179	173	161	144	127	118	97	82
RV10-20	7.50		203	202	198	191	180	160	145	133	114	93
RV10-22	7.50		224	222	217	209	198	178	167	149	125	106

Performance Table

RV- 50HZ

RV15	Power	Q	8	10	12	14	15	16	18	20	22	24
Model	P2 (kw)	(m3/hr)	H (mtr)									
RV15-1	1.1	H (mtr)	14	13	12	11.5	11	10.5	10	9	8	7
RV15-2	2.2		26	25	24	23	22	21	20	18	16	14
RV15-3	3		39	38	37	34	33	31	29	27	24	20
RV15-4	4		52	50	48	46	44	43	40	36	31	26
RV15-5	4		66	64	61	58	56	54	50	45	39	33
RV15-6	5.5		80	78	75	70	67	65	60	54	47	41
RV15-7	5.5		94	92	88	83	80	78	71	64	56	50
RV15-8	7.5		108	105	101	96	93	90	73	75	66	57
RV15-9	7.5		122	119	115	109	106	103	95	87	77	66
RV15-10	11		136	133	128	123	120	116	107	98	86	78
RV15-12	11		158	155	150	144	140	135	126	116	102	89
RV15-14	1.1		183	179	172	165	162	156	145	133	118	103
RV15-16	15		210	204	197	190	185	179	168	153	137	118
RV15-17	15		224	218	212	203	198	193	181	166	151	129

RV20	Power	Q	8	10	12	14	16	18	20	24	26	28
Model	P2 (kw)	(m3/hr)	H (mtr)									
RV20-1	1.1	H (mtr)	14	13.5	13	12.5	12	11.5	11	10.5	8.5	7
RV20-2	2.2		28	27	26	25	24	22.5	21	18	16	14
RV20-3	4.0		42	40	39	38	36	34	32	27	24	21
RV20-4	5.5		54	53	52	51	50	46	43	36	32	27
RV20-5	5.5		68	67	65	63	61	58	55	45	40	33
RV20-6	7.5		82	80	78	77	73	70	66	55	48	40
RV20-7	7.5		96	94	92	89	86	82	77	65	58	47
RV20-8	11.0		111	107	104	102	99	95	90	77	67	58
RV20-10	11.0		139	135	132	127	124	118	112	98	86	73
RV20-12	15.0		165	162	158	154	149	142	136	118	105	95
RV20-14	15.0		195	189	185	180	175	170	161	140	126	111
RV20-16	18.5		221	217	214	209	203	198	189	164	148	129
RV20-17	18.5		236	231	228	223	217	210	202	178	162	142

Performance Table

RV- 50HZ

RV32	Power	Q										
Model	P2 (kw)	(m3/hr)	12	16	20	24	28	30	32	36	38	40
RV32-1-1	1.5	H (mtr)	15	14	13	12	11	10.5	10	9	8	7
RV32-1	2.2		19	18	16.5	15.5	14.5	14	13	11.5	10	9.5
RV32-2-2	3		30	28	26	24	22	21	19	16	15	14
RV32-2	4		36	34	32	30	27	26	24	21	19	17
RV32-3-2	4		50	45	42	39	36	34	32	27	25	21
RV32-3	5.5		54	52	49	46	42	39	37	31	29	25
RV32-4-2	7.5		66	63	59	55	50	47	44	38	35	29
RV32-4	7.5		72	70	66	62	56	53	50	42	38	34
RV32-5-2	11		84	80	76	71	64	61	57	48	42	37
RV32-5	11		91	87	83	78	71	66	62	53	48	42
RV32-6-2	11		101	97	92	87	79	75	70	59	50	47
RV32-6	11		109	105	101	95	87	83	77	65	57	52
RV32-7-2	15		119	115	110	105	96	90	84	71	66	57
RV32-7	15		127	123	118	112	103	97	91	78	70	61
RV32-8-2	15		136	132	127	120	110	104	97	82	74	66
RV32-8	15		146	139	134	126	117	111	104	88	79	70
RV32-9-2	18.5		153	149	144	137	126	119	112	95	86	75
RV32-9	18.5		161	157	152	145	134	126	119	102	95	80
RV32-10-2	18.5		175	168	162	154	143	135	127	108	94	84
RV32-10	18.5		179	174	169	162	149	142	134	114	102	88
RV32-11-2	22		189	184	178	170	158	149	141	120	106	93
RV32-11	22		199	192	186	178	165	157	148	126	112	97
RV32-12-2	22		208	202	196	187	174	165	155	133	120	101
RV32-12	22		214	210	203	195	180	171	161	137	125	107
RV32-13-2	30		225	220	213	203	188	179	169	143	122	112
RV32-13	30		232	227	220	210	197	187	177	150	132	118
RV32-14-2	30		243	238	230	220	206	197	185	156	145	124
RV32-14	30		250	245	237	227	212	203	192	163	147	130

Performance Table

RV- 50HZ

RV45 Model	Power P2 (kw)	Q (m3/hr)	H (mtr)									
			5	15	25	30	35	40	45	47	50	55
RV45-1-1	3	H (mtr)	22	21	20	19	18	17	15	13	12	11
RV45-1	4		24	22.5	24	23	22	21	19	18	17	16
RV45-2-2	5.5		42	41	40	38	36	33	30	27	25	23
RV45-2	7.5		52	50	48	46	44	42	39	35	33	31
RV45-3-2	11		66	64	63	61	58	54	50	44	41	38
RV45-3	11		78	75	72	70	67	63	58	53	50	45
RV45-4-2	15		93	91	87	84	80	75	69	62	59	54
RV45-4	15		103	100	98	94	87	84	77	70	66	61
RV45-5-2	18.5		118	115	113	108	102	96	88	80	74	69
RV45-5	18.5		129	126	123	118	112	105	97	88	83	77
RV45-6-2	22		142	139	137	132	125	118	109	98	93	86
RV45-6	22		153	150	147	141	135	127	118	107	104	94
RV45-7-2	30		170	165	160	154	147	139	128	116	110	101
RV45-7	30		182	176	169	164	156	147	135	124	118	109
RV45-8-2	30		195	189	184	178	169	160	147	132	127	116
RV45-8	30		208	200	194	189	180	168	155	141	135	124
RV45-9-2	30		220	211	209	202	193	182	169	152	146	133
RV45-9	37		232	226	219	212	203	192	177	161	152	141
RV45-10-2	37		251	243	233	225	215	203	188	170	164	148
RV45-10	37		260	252	245	234	225	212	196	180	170	156
RV45-11-2	45		274	267	259	250	240	226	209	191	182	166
RV45-11	45		287	278	267	259	248	235	217	198	190	174
RV45-12-2	45		302	295	284	274	264	248	230	209	197	183
RV45-12	45		314	308	295	286	273	259	239	219	204	192
RV45-13-2	45		323	316	309	300	286	270	250	227	214	199

Performance Table
RV- 50HZ

RV64	Power	Q (m3/hr)	5	15	30	40	50	60	64	70	75	80
	P2 (kw)											
RV64-1-1	4.0	H (mtr)	21	20	19	18	16	14	13	11.5	10	9
RV64-1	5.5		31	29	27	25	23	20	19	17	15	14
RV64-2-2	7.5		41	39	37	35	32	28	26	23	20	17
RV64-2-1	11.0		52	50	47	44	40	36	34	30	27	24
RV64-2	11.0		61	58	55	51	47	42	40	37	34	30
RV64-3-2	15.0		70	78	66	62	56	50	46	41	37	32
RV64-3-1	15.0		80	76	73	69	63	56	53	48	43	39
RV64-3	18.5		90	86	81	76	70	64	60	55	50	46
RV64-4-2	18.5		100	97	92	87	80	71	66	60	56	49
RV64-4-1	22.0		110	107	100	94	87	78	73	67	61	54
RV64-4	22.0		120	110	107	101	94	85	80	74	68	61
RV64-5-2	30.0		130	126	119	113	105	95	89	80	72	64
RV64-5-1	30.0		139	133	128	121	112	102	96	87	82	71
RV64-5	30.0		148	140	136	129	119	109	103	94	88	78
RV64-6-2	30.0		160	155	147	140	130	118	112	101	93	81
RV64-6-1	37.0		169	167	157	149	138	124	118	108	97	88
RV64-6	37.0		178	175	164	156	145	132	124	115	105	96
RV64-7-2	37.0		187	182	176	167	156	140	133	121	110	99
RV64-7-1	37.0		198	193	185	176	163	147	140	128	117	106
RV64-7	45.0		210	200	193	183	170	155	147	135	122	112
RV64-8-2	45.0	220	211	204	194	181	164	155	142	130	116	
RV64-8-1	45.0	228	221	214	203	189	170	163	149	138	123	

RV90	Power	Q (m3/hr)	30	40	50	60	70	80	85	90	100	110
	P2 (kw)											
RV90-1-1	5.5	H (mtr)	23	22.5	22	20	18	16	15	13	10	6
RV90-1	7.5		35	33	30	27	25	23	21	19	15	11
RV90-2-2	11.0		48	45	41	39	36	32	30	28	22	15
RV90-2	15.0		66	60	56	53	49	45	43	40	35	30
RV90-3-2	18.5		80	76	68	65	60	55	52	49	41	33
RV90-3	22.0		96	90	83	79	73	68	64	61	54	47
RV90-4-2	30.0		107	103	98	93	87	80	76	72	63	50
RV90-4	30.0		128	120	110	105	100	92	88	84	75	65
RV90-5-2	37.0		142	134	126	120	113	105	100	96	83	68
RV90-5	37.0		157	151	140	133	126	117	113	107	95	87
RV90-6-2	45.0		174	164	155	148	139	129	124	118	104	87
RV90-6	45.0		187	182	168	160	151	141	135	130	117	103